

### MARINE RESOURCE SPECIAL REPORT



#### A SEA GRANT ADVISORY SERVICE

Virginia Institute of Marine Science Gloucester Point, Virginia 23062

#### 1978 Annual Summary

OYSTER SPATFALL ON SHELLSTRINGS IN VIRGINIA RIVERS
BY
Dexter Haven and Paul Kendall

The Virginia Institute of Marine Science (VIMS) conducts weekly surveys from June through early October to obtain oyster spatfall information. Spat counts are made from oyster shells strung on wire and suspended from stakes on public and private beds. The number of spat on shells are counted each week of the spawning season to determine the potential of a particular area for receiving a strike and to predict the most likely period the strikes will occur. Shells planted just before the period of maximum set have the best chance of getting a good strike.

A moderate or heavy strike on shellstrings usually indicates a significant strike on exposed bottom cultch. However, a good strike on shellstrings in some locations may not always be accompanied by good spatfall on shells on the bottom. Bottom shells are sometimes so fouled by other marine life that no room is left for small spat to attach. Even with a reasonable spatfall survival on the bottom in saltier waters may be extremely low due to predators such as drills and blue crabs which eat the small spat.

Usually a light set of spat on shellstrings indicates a poor set on bottom cultch. During certain exceptional years, for reasons only partially understood, a light set on our shellstrings results in an exceptional set on the natural bottom.

The average number of spat which set in one week on the smooth side of 10 shells is tabulated in this report; it is reported as spat-per-shell-per-week. Weekly set is

arbitrarily rated as follows: fair, 0.1 to 1.0; moderate, 1.1 to 10; heavy, 11 to 100. As an index of total seasonal spatfall, the weekly sets are summed in this report for each station. In evaluating setting levels, it should be recognized that in certain rivers, such as the Rappahannock and Potomac, the set is typically zero in many sections and only fair in others. Other systems, including the lower James and Piankatank rivers, Mobjack Bay and Seaside of the Eastern Shore, typically receive a moderate or heavy set and, as a result, often produce quantities of seed oysters or market oysters.

If shells are to be planted in any region, it is important to plant a week or two prior to peak setting. If shells are planted much earlier, they may become so fouled with marine organisms that larvae will not set. For further information on setting seasons and time to plant shells, contact Dexter Haven, Head, Department of Applied Biology, VIMS.

Included in this report are numbers of oyster spat setting on cultch on the bottom at selected locations in the 1978 season. The data are expressed as number of spat per bushel of bottom material collected by an oyster dredge during the fall and winter of 1978-79.

#### SUMMARY OF SETTING IN THE RIVER SYSTEMS

James River - The public rocks in the James River annually supply over 77% of the seed planted commercially in Virginia. However, rocks in the lower river are now receiving only about 10% as much set as they did prior to 1960. The decline which began after 1960 is thought to be associated with MSX which has reduced brood stocks in the lower river. Other factors such as chlorine associated with the discharge of sewage treatment and other plants or some other environmental aspect may be involved.

Setting in the lower James River from Miles Watch House to Hampton Flats, with one exception, began during the first two weeks of August and continued without a well defined peak into October. At the Tax Office no set was recorded until late August. At all downriver stations, the seasonal set was low and ranged from 0.7 to 5.2 spat. The 1978 set was, in general, about equal to or lower than the 1977 set.

In the mid and upper seed area, setting began in early August and continued to October with no well defined peak setting period. The seasonal set was low and ranged

from 0.9 to 3.9 spat. These levels were less than those observed in 1977.

Bushel samples of bottom material from the public rocks showed a light to moderate set with the mid-river section having the higher counts. Numbers of spat per bushel follow: Nansemond Ridge - 64; Naseway Shoal - 70; Brown Shoal - 24; White Shoal - 78; Gun Rock - 14; Thomas Rock - 44; Wreck Shoal (inshore) - 102; Wreck Shoal (offshore) - 330; Point of Shoals - 328; Horse Head - 54; and Deep Water Shoal - 88.

York River - At Gloucester Point in 1978 the total seasonal set was only 3.1 spat, which is considered low for the area. The peak weekly set of 0.9 spat/shell occurred in late August.

At all six stations upriver from Gloucester Point, the total seasonal set was typically low with a range of from 0.2 to 2.5 spat. The poorly defined period of peak set seemed to occur in September. At all stations the 1978 set was lower than that recorded for 1977.

Dredge samples of bottom cultch taken in December from four of the public rocks in the York River showed few 1978 spat. The numbers ranged from 4 spat/bushel at Pages Rock to 24 spat/bushel at Bells Rock.

Mobjack Bay - In Mobjack Bay, there were two peak setting periods. The first occurred in early August; a second was observed in early September. The total seasonal set was 8.3 at Tow Stake and 10.3 off Brown Bay. These values are considered moderate.

<u>Ware River</u> - In this estuary, at Wilson's Creek, there was an unusually heavy seasonal set of 73.5 spat which was higher than any observed in the preceding three years. There were two periods of heavy setting. One was in mid-July; a second occurred in early September.

North River - The total seasonal set at Cedar Point and Black Water Creek was 12.4 and 18.4 spat, respectively. The moderate to heavy period of peak set occurred at both stations during the third week in July. These levels were far above recorded sets for the preceding three years.

At the head of the North River the peak set occurred the third week in July, the same time as it did downriver. The total set (7.5 spat) was slightly higher in 1978 than in 1977.

East River - Setting levels in this system continue to be far above those typical of other areas in Chesapeake Bay. The heavy peak weekly set near the mouth of the estuary (26.6 spat/shell) occurred in the latter part of August. At the Gulf Oil Dock, there were two peak weekly setting periods. One (69.4 spat/shell) was recorded during the first part of July. The second was observed in early August and reached 112.2 spat/shell. The total seasonal set for the two stations in 1978 exceeded that for the preceding three years.

New Point Comfort Area - There were five locations in four bodies of water monitored in 1978, and there were major differences among the areas. Winter Harbor (Crowe's) had zero set for 1978; this continues a pattern observed during the three preceding years. In contrast, Public Landing in the same estuary had a seasonal set of 25.2 spat. This latter level is regarded as heavy; similar levels were observed during the preceding three years. At Public Landing the first setting peak occurred the last week of August, while the second peak setting period was unusually late - the first week in October.

At Dyer Creek the seasonal set was 6.0 spat, and the period of peak set occurred during mid to late August. The total set in 1978 was higher than for the preceding three years.

Incomplete records for Pepper Creek suggest a lower than average set for 1978.

Milford Haven - At Stutts Creek the total seasonal set was low (2.1 spat); this continued a generally poor setting record observed during the preceding three years. Data for the Point Breeze and Hole-in-the-Wall area are incomplete.

Piankatank River - Weekly data for all stations in 1978 are lacking during the latter part of the setting season. Therefore, no definitive statement can be made relative to the total seasonal set. The data do show, however, that setting began in July and that the peak set occurred sometime in September.

There was only a light set on the public oyster bars in the Piankatank. Bushel samples of bottom material dredged in mid-January showed the following numbers of spat: Three Branches - 66; Burton Point - 36; Cape Tune - 52; Island Bar - 76; Palace Bar - 150; and Ginney Point - 116.

Rappahannock River - There was no set recorded on shellstrings for the four stations maintained above Goose Point (Weeks Creek, Smokey Point, Waterview, and Punchbowl).

In the lower Rappahannock River, there was a fair to moderate total set which ranged from 0.1 to 8.5 spat. Most of the set occurred during September. In 1978 the seasonal set was lower than that recorded in 1977 at all stations.

Bottom samples dredged from the public rocks in December of 1978 showed typically low setting levels.

Numbers recorded per bushel were: Parrott's Rock - 10;

Drumming Ground - 6; Hogg House - 4; Smokey Point - 4;

Morattico - 6; and Bowlers Rock - 4. Nevertheless, these numbers were higher at Smokey Point, Morattico and Bowlers Rock than in most of the last eight years.

Dividing Creek - At Holland's Pier, the set was very light (0.4 spat for the season).

Great Wicomico River - The total seasonal set was low at the seven stations monitored, and ranged from 0.1 to 2.2 spat. The period of peak set occurred late in the season during September. It is noted that setting in the Great Wicomico River has been low since 1971; this is in contrast to the heavy sets routinely recorded in the '60's.

Bushel samples of bottom material dredged in December from the public rocks confirmed results obtained from the shellstrings; that is, few 1978 spat had set on the public rocks. Numbers recorded (per bushel) were: Dameron Marsh - 18; Fleet Point - 10; Cranes Creek - 30; Whaley's East - 46; Whaley's West - 34; Haynie Point - 44; and Rogue Point - 36.

Potomac River - A very light seasonal set ranging from 0.8 to 2.1 spat was observed in the lower Potomac River in the vicinity of Jones Shore, Cornfield and Hog Island. This set occurred late in the year during September. No set


was observed at Great Neck or the seven remaining upriver stations except at King Copsico Point where 0.1 spat for the season was recorded. The low set observed in the mid-Potomac in 1978 was similar to levels observed since 1972.

Eastern Shore, Bayside - Pocomoke Sound - Levels of total seasonal set in Pocomoke Sound in 1978 ranged from zero to 1.6. There are no previous data to compare our 1978 results with, but these levels are considered low. Indications are that the few spat which set did so in August or September.

Eastern Shore, Seaside - As usual at Seaside stations, the seasonal set was heavy at the two stations monitored. At Quinby a heavy peak weekly set of 12.3 spat/shell occurred the second week in August. At Wachapreague (VIMS) there were two peak periods of heavy set; one occurred in late July or early August, and the other in early September. The 1978 set was lower than that observed in 1977 but on a par with '76 and '75.

Acknowledgments - Inspectors and Police Boat Captains of the Virginia Marine Resources Commission cooperated in this survey by changing shellstrings in many of the estuaries. Their assistance is gratefully acknowledged.

#### SHELLSTRING SURVEY STATIONS



VIRGINIA INSTITUTE OF MARINE SCIENCE Spatfall on Shellstrings\* Annual Summary 1975 - 1978

## JAMES RIVER

ice 1978	0.0000000000000000000000000000000000000	0.7
Tax Off 1977	0.0 0.0 0.4 0.7 0.6 1.3 0.5	6.2
Newport News Tax Office 975 1976 1977 19	0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	16.9
Newp 1975	0.00 0.10 0.10 0.10 0.10 0.10 0.10 0.10	9.2
l∞	0 0 00 8 7 6 1 6 0 4 0	m
1978	0.0000000000000000000000000000000000000	3.3
d Ridge 1977	0.0 0.0 0.1 0.1 0.1 0.1 0.1	2.5
Nansemond Ridge 1976 1977	0.0000	1.9
1975	0.0 0.0 0.0 1.2 0.6	4.4
1978	-0.0 0.0 0.0 1.3 1.5	5.2
Flats 1977	0.0 11.0 0.2 0.6 0.7 0.5 2.5 2.5	9.2
Hampton Flats 1976 1977	0.0 0.3 0.3 0.3 1.7 4.4	7.6
1975	0.00 0.00 0.01 0.11 4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.	10.4
Dates Exposed**	Jun 19-28 Jun 28-Jul 6 Jul 6-10 Jul 10-17 Jul 10-17 Jul 24-31 Jul 24-31 Jul 31-Aug 7 Aug 7-14 Aug 14-21 Aug 28-Sep 5 Sep 12-18 Sep 12-18 Sep 12-18 Sep 12-18 Sep 12-18 Sep 26-0ct 3 Oct 3-10	TOTALS

<sup>\*</sup> Shows spat per shell (smooth side only). \*\* Dates shown are for 1978. Dates in other years were

# General Guide to Setting:

approximately the same.

<sup>•</sup> Not sampled in previous years.

<sup>0.1</sup> to 1.0 spat per shell = fair 1.1 to 10.0 spat per shell = moderate 10.1 to 100 spat per shell = heavy

	e.		
· Vi	1978	0.0 0.0 0.0 0.0 0.0 0.3 0.3 0.9 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
	Shoal 1977	0.0 0.1 0.1 0.0 0.0 6.0 6.0 0.0 0.7	Shoal 1977  0.0 0.0 0.1 0.1 5.7 5.7 5.7 5.7 5.7 5.7 6.1 0.1
	White 1976	8.8 8.8	Point of 1976 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.
	1975	0.6 0.6 2.7 2.6 3.4 1.0 0.4 1.0	1975 0.0 0.0 1.0 1.0 0.0 0.0 0.0 0.0 0.0
	1978	3. 0.0000000000000000000000000000000000	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
·	ch House 1977	0.00	Warwick Biver Mouth 1976 1977  0.0 0.0 0.0 0.0 0.0 0.1 2.2 0.3 0.3 0.1 2.2 0.0 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 1.1 3.0
/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Miles Watch House 1976 1977	0.0000000000000000000000000000000000000	1976 Bi 1976 C.0 0.0 0.1 0.1 0.1 0.1 1.1
<b>\</b>	1975	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	Mot Sampled
	1978	0.0 0.0 0.0 0.0 0.1 0.1 0.0 0.3 0.3 0.3	1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978 1.978
	Shoal 1977	0.0 0.0 0.0 0.0 0.7 0.3 0.5 0.5 0.5	Shoal 1977 0.0 0.0 0.0 0.0 0.0 0.7 0.5 1.1 0.1 0.0 0.0
	Brown 1976	0.0 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3	Wreck 1976 0.0 0.0 0.0 0.0 0.1 0.1 1.1 1.1 1.1
÷	1975	0.00 0.00 2.8 2.8 2.1 1.6 0.0 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6	1975 0.0 0.0 1.3 1.3 1.6 1.6 1.0 1.0 1.0 1.0 1.0 1.0 1.0
	Dates Exposed**	Jun 19-28 Jun 28-Jul 6 Jul 6-10 Jul 10-17 Jul 17-24 Jul 31-Aug 7 Aug 14-21 Aug 14-21 Aug 28-Sep 5 Sep 5-12 Sep 12-18 Sep 12-18 Sep 12-18 Sep 12-18 Sep 26-0ct 3 Oct 3-11	Jun 19-28 Jun 19-28 Jun 28-Jul 6 Jul 10-17 Jul 10-17 Jul 17-24 Jul 17-24 Jul 24-31 Jul 31-Aug 7 Aug 14-21 Aug 14-21 Aug 28-Sep 5 Sep 5-12 Sep 12-18

					•
1978	0.0	0.0000000000000000000000000000000000000	. 2.2	1978	11111101000 00 00
r Shoal	1000	0.00   0.00   0.00   0.00   0.00   0.00	3.5	Rock 1977	0.0 0.0 0.0 0.0 0.0 0.0 0.0 1.1 0.4 0.5 1.1 1.1
Deepwater Shoal 1976 1977	1000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8.0	Green 1976	Not Sampled
1975	0.0	0.0000000000000000000000000000000000000	1.1	1975	Not Sampled
1978	0.000	0.0000000000000000000000000000000000000	1.0	1978	0.0 0.3 0.3 2.5 2.5
d Shoal 1977	1000	0.0001000000000000000000000000000000000	4.6	Stakes 1977	0.0 0.0 0.0 0.0 0.0 0.0 0.0 1.2 1.2
Horsehead Shoal 1976 1977	1000	0.0000000000000000000000000000000000000	1.5 TER	Deep S 1976	Not Sampled
1975	0.00	0.0000000000000000000000000000000000000	2.3 YORK RIVER	1975	Not Sampled
1978	0000	0.0 0.0 0.0 0.1 0.1 0.7 0.7	9. 6.	1978	0.000000000000000000000000000000000000
Swash 1977	0.00	0.0040140000	8.5	ry Pier 1977	0.0 11.0 11.2 0.0 0.0 0.3 0.3 6.7 6.6 6.7
Mulberry 1976	1000	0.0000000000000000000000000000000000000	0.7	VIMS Ferry 1976	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 1.0 0.0 0
1975	0.0	0.0000000000000000000000000000000000000	1.5	1975	0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Dates Exposed**		Jul 17-24 Jul 24-31 Jul 31-Aug 7 Aug 7-14 Aug 14-21 Aug 28-Sep 5 Sep 5-12 Sep 12-18 Sep 12-18 Sep 18-26 Sep 26-0ct 3	TOTALS	Dates Exposed**	Jun 12-19 Jun 19-26 Jun 26-Jul 3 Jul 3-10 Jul 10-17 Jul 17-24 Jul 24-Aug 1- 7 Aug 14-23 Aug 29-Sep 5 Sep 11-19 Sep 11-19 Sep 19-27 Sep 27-oct 2 Oct 2-10

•		The state of the s		
	1978	1 1000000000000000000000000000000000000		
ank	1977			
Claybank	1976	1   1000   0000		
	1975	0.00 4.4 0.00 0.00 0.00 0.00 0.00 1.7		
;	1978	0.0000000000000000000000000000000000000		
Aberdeen Rock	1977	0.0 0.0 0.0 0.0 0.3 0.3 0.5 0.5		
Aberdee	1976	Not Sampled		
	1975	Моt Sampled		
	1978	1	1978 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.3
Rock	1977	0.0 0.0 0.1 0.1 0.1 0.1 2.0 4.2	Creek 1977  0.0  0.0  0.0  0.0  0.0  0.0  0.0	3.2
Pages	1976 197	Not Sampled	Foxes 1976	0.0
	1975	Not Sampled	0.0	0.4
	Dates Exposed**	Jun 12-19 Jun 19-26 Jun 26-Jul 3 Jul 3-10 Jul 10-17 Jul 10-17 Jul 17-24 Jul 24-Aug 1 Aug 1-7 Aug 1-7 Aug 29-Sep 5 Sep 5-11 Sep 19-27 Sep 19-27 Sep 19-27 Sep 19-27 Sep 27-Oct 2 Oct 2-10	" 440 440 440	Oct 2-10 TOTALS
		·		

^	d
	1
Ľ	1
-	Ľ
۳	-
-	1
	ż
ρ	ï
	ľ
12	i
$\sim$	
ρ	į
2	ĺ
747	ļ
MAN.	

					•	
k 1978	30.0 30.8 3.0 3.0 0.7 1.0 1.0 0.0 6.4	73.5		1978	0.01.0000000000000000000000000000000000	7.5
a's Cree on 12 1977	5.0	13.0		ad on 1 1977	0.00	5.2
Off Wilson's Greek Station 12 1976 1977	0.0 2.7 2.8 7.9 7.9 0.3	19.2		Head Station 1976	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	15.2
0,	$\begin{cases} 2.8 \\ 7.3 \\ 7.3 \\ 7.4 \\ 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \\ 0.1 \\ 3.6 \\ 0.1 \end{cases}$	49.3	÷	1975	0.0000000000000000000000000000000000000	14.8
1978	0.0   0.0	10.3		1978	11.2.01.2.000.0000000000000000000000000	18.4
n's Bay on 14 1977	000000000000000000000000000000000000000	3.2		er Creek on 2 1977	0.00 0.00 0.00 0.00 11	0.7
Off Brown's Bay Station 14 1976 1977	000000000000000000000000000000000000000	0.2	RIVER	Black Water Creek Station 2 1976 1977	000000000000000000000000000000000000000	0.2
1975	0.00 0.	10.8	NORTH R	B 1975	0.0000000000000000000000000000000000000	2.3
1978	100011010000	8,3		1978	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	12.4
take n 13 1977	0.0 8.8 0.0 0.0 0.0 2.4 1.3	16.1		Point on 3 1977	0.00	3.2
Tow Stake Station 13 1976 197	0.0	12.5		Cedar Point Station 3 1976 1977	110000000000000000000000000000000000000	1.0
1975	2.6 5.8 6.0 6.0 7.8 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0	47.1		1975	000000000000000000000000000000000000000	4.9
Dates Exposed**	Jun 12-19 Jun 19-26 Jun 26-Jul 6 Jul 11-17 Jul 11-24 Jul 24-30 Jul 30-Aug 7 Aug 7-14 Aug 14-22 Aug 29-Sep 5 Sep 5-11 Sep 11-18 Sep 11-18 Sep 18-0ct 2 Oct 2-9	TOTALS		Dates Exposed**	Jun 13-20 Jun 20-27 Jun 20-27 Jul 27-Jul 5 Jul 11-18 Jul 18-25 Jul 25-Aug 1 Aug 1-8 Aug 8-15 Aug 15-22 Aug 22-29 Aug 29-Sep 5 Sep 5-12 Sep 19-26 Sep 19-26 Sep 26-0ct 3 Oct 3-11	TOTALS
Dat	Jun Jun Jul Jul Jul Jul Jul Jul Jul Jul Sug Aug Aug Aug Sep Sep Sep Sep	ĭ		Dat	Jun Jun Jul Jul Jul Jul Aug Aug Aug Sep Sep Sep Sep Sep Sep Sep	• •

		•		Creek on 8 1977	4.0000000000000000000000000000000000000
				Dyer Creek Station 8 1976 197	000000000000000000000000000000000000000
		•		1975	000000000000000000000000000000000000000
1978	0.0 69.4 31.5 10.0 10.0 10.0 62.7 62.7 62.7 0.0	356.1		m's 1978	000000000000000000000000000000000000
1 Dock 20 11 1977	122.00000000000000000000000000000000000	35.1		Mitcham's on 9	0.0000000000000000000000000000000000000
Gulf Oil Station 1976	0.1444   7.   0.000000000000000000000000000000	17.6	FORT ARE	Horn Harbor, M Station '5 1976 1	
1975	2.2 2.8 2.3 2.3 2.3 2.3 2.3 2.3 3.4 4.1 4.3 5.3 6.3 6.3 7.3 6.3 7.3 6.3 7.3 6.3 7.3 6.3 7.3 6.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7	62.9	NEW POINT COMFORT AREA	Hor 1975	00000000000000000000000000000000000000
1978	11.2 26.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6	39.5	NEW 1	Crowe's 10 77 1978	
Mouth Station 6 '6 1977	3.0	15.1	. •	Harbor, Cro Station 10 76 1977	000000000000000000000000000000000000000
Staf	0.0 0.1 0.1 3.0 1.2 1.1	16.8		Winter Har Stat '5 1976	00000000000000000000000000000000000000
1975	0.00 7.60 7.60 7.60 7.60 7.60 7.60 7.60	40.4		Win 1975	
Dates Exposed**	Jun 5-12 Jun 12-19 Jun 19-27 Jun 27-Jul 5 Jul 11-18 Jul 18-25 Jul 18-25 Jul 25-Aug 2 Aug 9-15 Aug 9-15 Aug 22-29 Aug 29-Sep 5 Sep 5-12 Sep 19-26 Sep 19-26 Sep 26-0ct 3 Oct 3-11	TOTALS		Dates Exposed**	Jun 13-20 Jun 20-27 Jun 27-Jul 5 Jul 11-18 Jul 18-25 Jul 18-25 Jul 25-Aug 2 Aug 2-9 Aug 15-22 Aug 29-Sep 5 Sep 12-19 Sep 12-19 Sep 19-26 Sep 26-0ct 3 Oct 3-11

6.0

		; · · · · · · · · · · · · · · · · · · ·		Hole-in-W Station 1976	Not Sampled
				1975	Not Sampled
	1978	100000000000000000000000000000000000000	6.4	1978	000000000000000000000000000000000000000
Creek	1977	Incomplete Data	•	Stutts Creek Station C 1976 1977	0.00
Pepper Creek Station 7	1976	2.1	7.6 AVEN	Stutts Stati 1976	2   00000000000000000000000000000000000
	1975	0.0 0.0 0.0 0.0 11.2 12.4 14.6 14.6	41.3 7.	1975	0.0000000000000000000000000000000000000
.jon 10	1978		25.2	1978	0.00
Winter Harbor, Landing - Stat	1977	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	35.0	Point Breeze Station B 1976 1977	0.00
Winter Landir		0000000   0000000   1000000   1000000   1000000   1000000   1000000   10000000   100000000	e. e	Point Bre Station 1976	0.0000000000000000000000000000000000000
Pith 1	1975	0.0 0.0 7.0 7.0 6.3 30.7 1.4 4.1 1.9 252.0 58.6 35.6	420.6	1975	0.00 0.00 0.00 0.00 0.00 0.00 8 4 0 0 1 1 8 8 4 0 0 1 8 8 4 0 0 1 1 8 8 4 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Dates Exposed**	Jun 6-13 Jun 13-20 Jun 20-27 Jun 27-Jul 5 Jul 11-18 Jul 18-25 Jul 18-25 Jul 18-25 Jul 18-25 Jul 18-25 Jul 18-25 Jul 25-Aug 2-9 Aug 2-9 Aug 22-29 Aug 22-29 Aug 29-Sep 5 Sep 12-19 Sep 12-19 Sep 19-26 Sep 26-0ct 3	TOTALS	Dates Exposed**	Jun 12-19 Jun 19-26 Jun 26-Jul 3 Jul 26-Jul 3 Jul 10-17 Jul 17-24 Jul 17-24 Jul 31-Aug 7 Aug 7-14 Aug 14-21 Aug 28-Sep 4 Sep 4-11 Sep 11-18 Sep 18-25 Sep 25-0ct 3 Oct 3-11

0.0 0.0 0.0

,	1978	0	0.0	0.0	0.0	0.2	0.9	0.1	<b>!</b>		<u> </u>		8. 8.	_	11.3			1978	1	0.0	0.0	0.0	0.0	) ·	- ·	) c	) ~	8.0 <del>\</del>	_	3.4	_	5.3
Point on H	1977	0.0	0.1	0.0	ł	ł	ł	}	1	0.5	۰ د د	0.0	<u>;</u>	0.3	0.5		Bar on J	1977	I	0.0	0.0	6.9	4.0	n 0	8.77	0.60	1.0	0.0	0.0	0.0	0.1	59.6
Stove Point Station H	1976	0.0	i r-		ł	0.0	0.0	1.0	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		٠ <u>٠</u> ٥.	0.0	0.0	0.0	1.9		Palace Station	1976 I	0.0	0.0	0.1	0.0	0.0	3.0	1 6	0.0	\ 0.3		o.o.	0.0	0.0	3.4
	1975	00	9	; ;	9.0	-	0.2	0.1	;	<b>,</b>	c	9.0	; ;	1	6.4			1975	0.0	0.5	5.6	თ.	2.0	0.0	0.0	o	   	. o.	0.2	0.0	0.0	18.6
													٠.	٠.																•		
	1978	-	9	0.0	0.0	0.1	0.2	0.1	0.5	√0,5	<del>)</del>		5.2	_	6.3	-		1978	}	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	£0.3	, (C		-	17.8
Point on G	1977	0.0	9 0	0,0		l	}	ł	0.49	7.0	n. n	0.0 ~	·	0.0	64.4		Tune on I	1977	0.0	0.0	0.0	0.0	9.0	1.2	1 6	0.7	ا ا	0.0	0.0	0.0		5.0
Burton Point Station G	1976	0.0	; ; ;	: 1	ł	0.2	0.7	0.0	ر د د	2	0.0 ~		0.0	0.0	6.0		Cape	1976 1	0.0	0.0	0.1	0.0	0.0	1.0	۱ ,	T.0		,	0.0	0.0	0.0	1.2
	1975	0.0	ન α • C	9.0	1,9	E 0	0.2	0.0	1.5	1.6	] ;	7.7	000	0.0	10.0			1975	0.0	1	1.7	6.3	}		0.1	0.0	) r	2.8	6.0	0.2	0.0	13.0
	1978	0		0.0	0.0	0.0	0.0	0.0	0.0	ہ کہ		_	2.2	_	2.2			1978	1	0.0	0.0	0.0	0.2	0.5	0.0	0 0	0.0	. o.	, 	9. T.		2.6
ranches n 9	1977	0.0		0.0	0.2	0.0	0.1	0.0	4.3	0.1	0.0	) c	2.0	1	5.4		Bland Point	1977	1	1	ľ	ļ	}	1	<b>!</b>	!	~	† <del>-</del>	0.0	0.1	0.0	9.0
Three Branches Station 9	1976	0.0	) c	? ;	į	}	0.0	1	0.3	و ک	ر د د د	0.0	\ \ \ \	0.0	0.3		Bland	1976	0.0	0.0	0.0	0.0	0.0	ы 6.	!	9.0	<b>;</b>	۱ _	\ \ \ \ \	0.0	0.0	2.5
	1975	0 0	<b>.</b> C	0 0	; ;	0.0	0.4	:	0.6	1	ŀ	ء ا ج	0	0.0	1.4			1975					F	ŢG	du	gs	70	N				
	Dates Exposed**	12–19		20=3ttL 5	10-17 10-17	17-24	24-31	31-Aug 7	7-14	14-21		28-Sep 5	3-12 12-18	18-25	TS			Exposed**	12-19	19-26		3-10	10-17	17-24	24-31	-		14-21 21-28			12-18 18-25	VLS .
•	Dates			Ti.					Aug			Aug		Sep	TOTALS			Dates	Ju	Jun	Jun	Jul	Jul	T.	감	Tag.	Aug	Aug	Aug	Sep	Sep Sep	TOTALS

				Corroto 1976	0.000000000000000000000000000000000000
				1975	
			es	Cedar Bar 1978	10.000000000000000000000000000000000000
			RAPPAHANNOCK RIVER	Parrot's Island 1978	
	1978	1000000000011	0.3 R	11 1978	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Ginney Point Station K	1977	28.22.20.00.00.00.00.00.00.00.00.00.00.00.	30.7	wson's Bay, near Mosquito Point 1976 1977	3.0
Ginne	1976 1977	0.0000000000000000000000000000000000000	3.7	Lawson's Bay, Mosquito Poi 1976 1977	0.0000000000000000000000000000000000000
	1975	0.0 8.2.7.1 0.0 1.2.9 1.0.0 1.0.0 1.0.0	27.3	L. 1975	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
•	Dates Exposed**	Jun 12-19 Jun 26-Jul 3 Jul 3-10 Jul 10-17 Jul 10-17 Jul 17-24 Jul 24-31 Jul 24-31 Jul 31-Aug 7 Aug 14-21 Aug 14-21 Aug 28-Sep 5 Sep 5-12 Sep 12-18 Sep 12-18	TOTALS	Dates Exposed**	Jun 12-19 Jun 19-26 Jun 26-Jul 3 Jul 3-10 Jul 10-17 Jul 17-24 Jul 24-31 Jul 24-31 Jul 31-Aug 7 Aug 7-14 Aug 14-21 Aug 28-Sep 4 Sep 4-11 Sep 11-18 Sep 11-18 Sep 11-18 Sep 18-25 Oct 2-9 TOTALS

0.00 0.00 0.00 118.9 14.7 3.0 4.0 14.7

7. 7.			,	
(	1978	000000000000000000000000000000000000000	0.2	1978 0.0 0.0 0.0 0.0 0.0 0.0
,	1977	0.0000000000000000000000000000000000000	1.3	Punchbowl 976 1977 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.1 0.0 0.3 0.1 0.3 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.1
	Greenvale 1976 1977	0000110000110001	6.0	Punch 1976 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.
	1975	0.0000000000000000000000000000000000000	24.9	Mot Sampled 57
	<u>1978</u>	000000000000000000000000000000000000000	0.1	1978 1978 0.0 0.0 0.0 0.0 0.0 0.0 0.0
- p	Long Point 1977	0.0000000000000000000000000000000000000	2.9	Waterview 1977 1978 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.
•	Goose or L	0       0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.2	Point 1978 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.
(	Go.	Not Sampled		Smokey 1977 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.2 0.2 0.2
	1978	10000000000000111	0.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
	Point 1977	0.0 0.0 0.1 0.1 0.1 0.1	1.5	·
	Balls 1976	;;;;;;	0.0	Weeks 1976 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.
!	1975	Мот Sampled		Mot Sampled 75
· · · · · · · · · · · · · · · · · · ·	Dates Exposed**	Jun 12-19 Jun 19-26 Jun 19-26 Jul 26-Jul 3 Jul 10-17 Jul 10-17 Jul 17-24 Jul 24-31 Jul 31-Aug 7 Aug 7-14 Aug 14-21 Aug 28-Sep 4 Sep 4-11 Sep 11-18 Sep 11-18 Sep 18-25 Sep 25-0ct 2-9	TOTALS	Dates Exposed**  Jun 12-19  Jun 19-26  Jun 26-Jul 3  Jul 3-10  Jul 17-24  Jul 17-24  Jul 31-8  Aug 7-14  Aug 14-21  Aug 28-Sep 4  Sep 4-11  Sep 4-11  Sep 11-18  Sep 11-18  Sep 11-18

• •

## GREAT WICOMICO RIVER

																								-											•		'	
	1978	ł	}0.0	, , , ,	0.0	0.0	0.0	0.0	ļ	0.0	7.0	0.0	0.1	0.5	,}	0.2	0.8	0.2	2.2		1978	. !		0.0 2		) ()	) c	}	0	0.0	0.0	0.0	0.2	0.7	ر. د	000		1.4
Fleet Point Station c	1 .	1		0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.7	0.2	0.5	0.0	}	ŀ	1.8	's Dock	U"	1				9 0	9 0			0.1	0.7	0.0	9.0	0.7	1-1	90.0		8
Fleet Po Station	1976	0.0	0.0		1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.0	Hudnall's Station	1976	·	•	) ) (		) ) )	• ¦	c		0.0	0.0	7.0	;	0.2	0.0	0.01		0.6
	1975	0.0	¦	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.0	1	9.0	0.2	1	1	1.2	•	1975	}	6	0 0			)  -			0.0	0.0	0.0	0.0	0.0	0.0	0.01		0.1
	1978		ر د د د	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	·	1978			0.0				; ;	0 0	0	0.0	0.0	0.0	0.6	T.0	 		1.0
Creek on b	1977	I	ŀ	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	4.0	1.6	0.0	0.0	l	2.2	. Bar	1~:	l		6		0 0	) ()			5.0	0.0	0.0	0.1	0.7	o o	0.0		1.5
Cranes Creek Station b	1976	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	1	0.2	Shell B	1976	, C		0 0			) c	9 0		0	0.0	0.2	0.0	0.0	0.0	 		<b>0.4</b>
	1975	0.1	;	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	9.0		1975	ŀ		,   c		•	0 0	9 0	•	0.0	0.0	0.0	0.0	0.0	0.0	0001		0.2
·	1978	ł	30.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	ł	0.4	<b>¦</b>	ł	ļ	0.7		1978	ł	}	0.0				· ·		0.0	0.0	0.0	0.1	0.7	0.0	0.00		1.1
. Marsh on a	1977	}	ł	0.0	0.0	0-0	0.0	0.1	0.0	0.1	0.1	0.0	7.0	ļ	0.0	0.0	0.0		0.7	Point on e	1977		 	6	000	000				0	0	0.0	0.0	0.2	0.4	0.0		1.1
Dameron Mar Station a	1976	0.0	0-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	0.0	ł	0.1	0.0	0.0	ŀ	0.1	Haynie Poi	1976	<b>C</b>	5 0	) ) (		) c	) ) )		; -	0	0.0	0.1	0.0	0.0	0.0	0.0		0.2
	1975	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1	0.5		1975	ł	6	-	5 0			, c			0.0	0.0	0.0	0.0	0.2	0.0		1.6
	Dates Exposed**	Jun 6-13		20–27	(1					Jul 31-Aug 7		<b>-</b> -1				Sep 12-19	19-25	Sep 25-Oct 2	IOTALS		Dates Exposed**	J.m. 6-13	г	July 13-20	20-27						7-14	•			Sep 5-12	Sep 12-19 Sep 19-25 Sep 25-Oct 2	ı	TOTALS

7																			•																	
	1978	1	<u> </u>	}	0.0	0.0	0.0	1 6	0.0		• •		0.2	0.0	0.0	0.5	0.4				1978	1		0 0			0.0	0.0	ł	0.0		0	0.0	0.0	0.0	
칠	1977	!	0.0	0.0	1.0	0.0	0.0	0 0	0.0	-	•	0.0	0	0.0	0.0	ł	0.2			2	. 1977	. }	0.0	0.0	) ) (	0	0.0	0.0	ł	000	00	0.1	0.0	0.0	0.1	
DIVIDING HOTTEN	1976		0.0	0.0	0.0	۳.0	o,	-i <	) o	9 0		0	0.0	0.0	0.0	1	1.4			Great	1976	0.0	0.0	0.0		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	1975	6	0.0	0.2	0.2	0.0	) )	) ) (	ə c	9 0		0	0.0	0.0	0.0	1	0.4				1975	0.0	0.0	0 0	) c	? ~	0.0	0.0	0.0	0.0	0.7	1.4	1	0.1	2.1	•
	e.																				1978	1		0.0		0.0	0.0	!	0.0	0.0	0.1	0.0	0.0	0.0	8.0	
										•										Shore	1977	1	0.0	0.0	   c	0.0		0.0	0.0	0.1	0.0	- -	Į.,,	0.0	1.5	
																			LIVER	Ω	1976	0.0	0.0	1			0.0	0.0	0	0.0	0.0	0.0	0.0	0:1	0.0	
																		-	POTOMAC RIVER		1975	0.1	0.0	0.0	Í -	: ` -	} <b>0.</b> 0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.4	
	1978	1	}o.o	0.0	0.2		0.0	6	) ·	; ;	,	7.0	0.1	0.1	9.0	0.4	1.9			٠	1978			0.0	0 0	0.0		0.0	0.0		0.3	0.2	0.5	0.0	1.3	
oint on g	1977	1		0.0	0.0	0.0	٥. د د	o. c	?• •	c	, " • •	0.0	0.5	0.1	0.0	;	1-0			ield	1977	0.0	0.0	ŀ	ا ا د	0	1	0.0	0.0	0.1	7.0	ر د د	2	0.	2.1	
Glebe Point	1976 1977	0.0	0.0	0.0		0,0	0.0	0.0	) ) )		•	; ;	0.0	0.0	0.0	1	6.0			Cornfield	1976	0.0	1	0.0		0.0	0.0	0.0	0.0	0.0	0	0.0	0.0	0.0	0.0	
	1975	6	0.0	0.0		0.5	0.0	0.0	) ) (			000	0.0	0.0	0.0	1	0.2				1975	ł	}	0.0	1 1	~	0.0	0.0	0.0	0.0	10.0	9.0	0.0	0.1	0.7	
	Dates Exposed**	Jun 6-13						24-31 21 Aug	Jul 31-Aug /	Aug /-14	AUG 14 41	Aug 28-Sep 5	5-12		Sep 19-25		TOTALS				Dates Exposed**		20-27		Jul 4-10		Jul 24-31	Jul 31-Aug 7	Aug 7-14	Aug 14-21	Aug 28-Sep 5	5-11	Sep 11-17	Sep 17-25 Sep 25-0ct 2	TOTALS	

	1978	ļ	1	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	1	<b>;</b>	0.0		0.0			1978	ţ	0.0		<u> </u>	. : 	ļ	0.0	0.0	0-0	0.0	0.0	0.0	0 -	7.0	ļ		-	· •
_	1977	ł	{	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.2	0.1	0.0	0.0	<b>!</b>	0.7	, ,	ICO POIDE					9		· ·		7			٠.,	SO	٠					
Thicket	1976	4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1	0.0	0.0	0.0	0.0	0.0	0.0	1	0.1	Č	VIDE COPSICO	:				197	Ι.	And		197		AI	Ì.	Zeros		:			• •	
	1975	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	À	1	1975	0.0	0.0	0.0	0.0	0.0	0-0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0	2.		c	) 1
- ;	1978	Ī	• ]		0.0	0-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.0	0.0	2.1		ł	1978	ŀ	0.0	2	0.07	0.0	ļ	0.0	0.0	0.0	0.0	0.0	0.0		!	<b>!</b>	<u> </u>	c	>
land	1977	.1	0.0	0.0	0.0	0.0	<u> </u>	1	0.0	0.0	0.0	}	0.0	0.0	0.0	0.0	-	0.0		סושנס					9,		יטי				-		SO						
Hog Is		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	;	0.0	r r	Kagged roint					1976		And		1977	1	All	·	Seros						
	1975	0.0	0.0	0.0	0.0	0.1		0-0{	0.0	0.0	0.0	0.0	0.0	0.0	1	0.*0	<b>!</b>	T:0 -1			1975	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	n (	0.0	6	0.0	; ;	۳ ح	;
	1978	•		0.0	0.0	0.0	0.0	+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	}	0.0				•					,					`							
g	1977	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1	0.1		001	1978	ĺ	l	0.0	0.0	0.0	0.0	0.0	0.	0.	0	0.0	0.0	0 0		0.0	5.1	0	
Coan	1976	, }	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	ŀ	0.0	į	reocc					1975,		1976,		& 1977	1	All	ı	Zeros						
	1975						p:	əŢ	ďw	ខូន	4	οN					÷				٠												•	· .	٠				
	Dates Exposed**	Jun 13-20				•						Ang 21–28				17-25	Sep 25-0ct 2	TOTALS		,	Dates Exposed**	Jun 13-20	Jun 20-27	Jun 27-Jul 4	Jul 4-10	Jul 10-17						21-28	Aug 28-Sep 5	Sep >-11	11 TT 000	77-77	Sep 23-UCt 2 Oct 2-9	TOTAL	OFFICE OF

		PG10 1978	
		1978	0.0000000000000000000000000000000000000
		Ground 9 Lower 1977	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
		SOUND Public Gi Swash, 1976	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.3
		<b>РОСОМОК</b> 1975	0.00 0.00 0.00 0.00 1.1 1.6
		ρ.,	
1978			
Bar 1977	900000000000000000000000000000000000000		
Gum F	1975 And 1976 All Zeros	PG9 Swash, Upper 1978	0.000000000000000000000000000000000000
l			
Dates Exposed**	Jun 13-20 Jun 20-27 Jun 20-27 Jul 4-10 Jul 17-24 Jul 17-24 Jul 31-Aug 7 Aug 14-21 Aug 14-21 Aug 28-Sep 5 Sep 5-11 Sep 5-11 Sep 17-25 Sep 25-0ct 2 Oct 2-9 TOTALS	Dates Exposed**	Jun 16-23 Jun 23-30 Jun 30-Jul 6 Jul 6-13 Jul 13-20 Jul 25-31 Jul 25-31 Jul 31-Aug 4 Aug 4-10 Aug 17-24 Aug 17-24 Sep 4-11 Sep 19-26 Sep 19-26 Sep 26-0ct 3
Ä		Ã	•

t C	Lower 1978	ŀ	0.0	0.0	0.0	}0.0	?;	0.0	0.0	0.0	0.0	0.0	30.0	-	Ė	1	0.0	
	•								•						٠.		•	
PG14	Point 1978	0.0	0 0	0.0	0°0 0 (	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_	0.0	- -	0		7-0	0.0		,	ł	0.2	
,	PG16 1978	0.0	0.0	0.0	o	0.0		0.0	0-1	i 0	0-0	)	0.0	ı		<b>!</b>	0.1	
PG15 Bernard	Island 1978	0.0	0.0	0.0	?	0.0		0.0	0.1	0.0	0.0		0.0	ı	1	!	0.1	
	Dates Exposed**	Jun 16-23 Jun 23-30															TOTALS	

SEASIDE	
SHORE,	
EASTERN	

VIMS, Wachapresone	Pier	19/8		<b>!</b> .	0.0	0-03 ~	) · · ·	0.0	<b>4.</b> 0 1	4.7/	21.6	4.1	0.5	0.2	14.3	,	{ 2.0	•	7.5			0.0		•	122,7
	1078		!		0	0.0	,	7.0		) ·	9 6	14.3	χ. •	1.0	0.0		} 0.1	. ~	0.0			, 0.0	_		26.
Bridge,	Machipongo River	`	<u> </u>		i c	1 c	7 - 7	9	) 		6	0 6	, c	ю . Ч	T.0 (	0.0	•	.	ł	1	}	;	į		102.4
Quinby	Machipor 1976		ļ		ł	ť	0	12.5	4.7	14.8	) <del>-</del>	† ),		3.2	, . 	· ·	0.0	0.0		ļ	1	}	ł		36.8
	1975		ľ	ì	}	<b>!</b>	0.5		}15.6	0.2	†	7 6	֡֝֝֝֝֡֝֝֡֝֝֝֡֝֡֝֝֡֝֡֡֝֝֡֡֝֡֡֝֝֡֡֡ ֓֓֡֡֡֡֓֡֓֡֓֡֓	7:77		7.0~		-	1	}	;	1	ł		31.1
	Dates Exposed**	ı	Jun 14-21	Jun 21-29	Jun 29-Jul 5	Jul 5-10	Jul 10~19	Jul 19-26	Jul 26-Aug 3	Aug 3-11	Aug 11-16	Aug 16-24	Aug 24-30	Aug 30-Sen 7	Con 7 16	Sep /-14	Sep 14-20	Sep 20-26	Sep 26-Oct 2	Oct 2-9	Oct 9-16	Oct 16-23	Oct 23-Nov 1		TOTALS

#### MARINE RESOURCE SPECIAL REPORT

A SEA GRANT ADVISORY SERVICE

Virginia Institute of Marine Science Gloucester Point, Virginia 23062 BULK RATE
U S POSTAGE
PAID
Gloucester Point, Va.
PERMIT NO. 6